(12) 公開特許公報(A)

(11)特許出願公開番号

特開平8-119864

(43)公開日 平成8年(1996)5月14日

(51) Int.Cl. ⁶	識別記号	庁内整理番号	FΙ					技術表示質	捬
A 6 1 K 31/575	ACP								
31/19		9455-4C							
31/215		9455-4C							
C07J 9/00		7433-4C							
// A 6 1 K 35/84	Α	8217-4C				,	•		
			審查請求	未請求	請求其	質の数	5 OL	(全 12]	頁)
(21)出願番号	特顯平7-159228	-	(71)出顧人	3900037	57				
				小太郎習	方製	終株式会	会社		
(22)出顧日	平成7年(1995)6月	26日		大阪府力	で阪市は	比区中海	≇2丁目	5番23号	
•	•		(72)発明者	高橋 非	昳				
(31)優先権主張番号	特願平6 -210039			埼玉県浦	和市2	太2 -	-23-6		
(32)優先日	平6 (1994) 9月2日		(72)発明者	田井 考	朔				
(33)優先権主張国	日本(JP)			大阪府流	山田市	(王寺	1 – 8 – 1	204-403	
特許法第30条第1項流	箇用申請有り 平成7	年3月5日、	(74)代理人	弁理士	青山	葆	(外2名))	
日本薬学会発行の「日	日本薬学会第115年会話	韓演要旨集2」							
に発表									
			,						

(54) 【発明の名称】 鎮吐薬

(57)【要約】

【目的】 本発明は、ラノスタン骨格または3,4-セコラノスタン骨格を有するトリテルペン類の少なくとも一種を有効成分とする、悪心、嘔吐の抑制に有用な鎮吐

式A [式中、R₁は、Hまたは低級アルキルであり、R₂は、低級アルカノイルオキシであるか、または環を構成する炭素原子とともにC=Oを形成する]で示されるラノスタン骨格、または、式B [式中、R₁は、H、また

薬を提供するものである。

【構成】 式Aおよび式B:

【化1】

は低級アルキルである]で示される3,4-セコラノス タン骨格を有する化合物の少なくとも1種を有効成分と して含む鎮吐薬。 10

【特許請求の範囲】

【請求項1】 式A:

【化1】

(.

[式中、R1は、Hまたは低級アルキルであり、 R2は、低級アルカノイルオキシであるか、または環を 構成する炭素原子とともにC=Oを形成する]で示され るラノスタン骨格、または、

$$\begin{array}{c} R_1 \\ R_2 \\ R_6 \\ R_6 \\ R_6 \end{array}$$

[式中、R1は、H、またはCH3であり、

R2は、-OCOCH3であるか、または環を構成する炭 30 【化5】 素原子とともにC=Oを形成し、

R3およびR5は、同一または異なって、H、またはOH であり、

 R_4 は、 $-C(=CH_2)-CH(CH_3)_2-Ra(ここで、$

Raは、HまたはOHを示す)であり、

R6は、CH3、またはCH2OHである。] で示される ラノスタン骨格を有するトリテルペン類の少なくとも1 種を有効成分として含む請求項1記載の鎮吐薬。

【請求項3】 上記ラノスタン骨格を有するトリテルペ ン類が、式 I-a:

【化4】

*式B:

【化2】

$$R_1 \circ \circ \circ$$

$$(B)$$

2

[式中、Riは、H、または低級アルキルである]で示 される3,4-セコラノスタン骨格を有するトリテルペ ン類の少なくとも1種を有効成分として含む鎮吐薬。 【請求項2】 式 [または式][:

【化3】

$$R_1OOC$$

$$R_1OOC$$

$$R_2$$

$$R_3$$

$$R_6$$

$$R_6$$

※で示されるポリポレン酸C、式II-a:

で示されるパキマ酸、または式 I-b: 【化6】

※50

で示されるデヒドロパキマ酸である、請求項1または2 記載の鎮吐薬。

$$R_{1}COC$$

$$R_{4}$$

$$R_{1}COC$$

$$R_{5}$$

$$R_{5}$$

$$R_{1}COC$$

$$R_{6}$$

$$R_{6}$$

$$R_{7}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

[式中、R1は、H、またはCH3であり、

R3は、H、OH、またはOCOCH3であり、

R₄は、-C(=CH₂)-C(CH₃)₂-R_a(ここで、R_a は、HまたはOHを示す)であり、

R5は、HまたはOHであり、

 R_6 は、 CH_3 、または CH_2 OHである]で示される3, 4-セコラノスタン骨格を有するトリテルペン類の少な くとも1種を有効成分として含む鎮吐薬。

【請求項5】 上記3,4-セコラノスタン骨格を有するトリテルペン類が、式III-a:

【化8】

で示されるポリコ酸Aである、請求項4記載の鎮吐薬。 【発明の詳細な説明】

[0001]

【産業上の利用分野】本発明は、ラノスタン骨格または 3,4ーセコラノスタン骨格を有する化合物の少なくと も一種を有効成分とする、悪心、嘔吐の抑制に有用な鎮 吐薬に関する。

[0002]

【従来の技術および発明が解決しようとする課題】従来、悪心、嘔吐を抑制する治療薬として、例えば、メトクロプラミド、ドンペリドン、ナバジシル酸アクラトニウム、マレイン酸トリメプチンなどの化学的合成薬剤が開発され用いられている。しかしながらこれらの治療薬には重篤な副作用を有することが知られており、副作用が少なく悪心、嘔吐を抑制する作用を有する治療薬の開発が望まれていた。そこで、副作用が少なく、かつより緩やかな効果が期待できる生薬中に鎮吐活性を有するも※50

*【請求項4】 式IIIまたは式IV: 【化7】

※のを求めて鋭意研究を行った。そして利尿効果を有することが知られている茯苓中の成分が鎮吐活性を有することを見出した。本発明はこのような知見に基づいて完成されたものである。

【0003】日本産および中国産の茯苓は伐採後3~5年を経た枯れたマツの類(Pinus spp.、アカマツなど)の根の周囲に生じるサルノコシカケ科の菌類マツホのド(Poria cocos Wolf)を基原とするものである。その他の外国産茯苓はマツ属のほか、ヒマラヤスギ、カシ、ウルシ、その他の植物を宿主とする。不定形の塊状で表面は暗褐色で松膚状、内部は白色または淡紅色である。菌核の外層をはいで乾燥したものが茯苓である。味はやや粘稠性で新鮮なものは特異な微かなにおいがある。漢方では利水、鎮静薬として、利尿異常、心悸亢進などの治療に用いられている。本発明において分離精製された4種の化合物はすでに知られているが、これらの化合物が鎮吐活性を有することはかって報告されていない。

30 [0004]

【課題を解決するための手段】本発明の鎮吐薬は下記の 化合物を有効成分として含むものである。式A: 【化9】

$$R_1 \otimes C$$

$$R_2 \otimes C$$

$$(A)$$

[式中、R1は、Hまたは低級アルキルであり、R2は、低級アルカノイルオキシであるか、または環を構成する炭素原子とともにC=Oを形成する]で示されるラノスタン骨格、または、式B:

【化10】

40

[式中、R₁は、H、または低級アルキルである]で示される3,4-セコラノスタン骨格を有するトリテルペン類。

【0005】これらの式中、炭素原子C7~C9~C11に*

(B)

[式中、 R_1 は、H、または CH_3 であり、 R_2 は、-O COC H_3 であるか、または環を構成する炭素原子とともにC=Oを形成し、 R_3 および R_5 は、同一または異なって、H、またはOHであり、 R_4 は、 $-C(=CH_2)-30$ C(CH_3) $_2$ - R_4 (ここで、 R_4 は、 H_4 たはOHを示す)であり、 R_6 は、 CH_3 、または CH_2 OHである。] で示されるトリテルペン類であり、好ましくは、例えば、式I-a:

【化12】

で示されるポリポレン酸C、式II-a: 【化13】 *わたる点線はC7=C8-C9=C11またはC7-C8=C9-C11を表す。「低級アルカノイルオキシ」とは、低級アルキルカルボニルオキシともいい、「低級アルキル」とは、飽和の直鎖または分枝状の、炭素原子1~6個、好ましくは1~5個、より好ましくは1~4個を含む炭化水素残基をいう。例えばメチル、エチル、プロピル、イソプロピル、ブチル、tーブチルなどが含まれる。【0006】本発明により、鎮吐薬として、少なくとも式Aにおいて3位の環を形成するC=Oまたは3位の置10 換基の-OCO-および24位のエキソメチレン、式Bにおいて3位の-CO-および24位のエキソメチレン

6

【0007】より具体的には、本発明の化合物にはラノスタン骨格を有する、式 I または式II:

【化11】

$$R_1$$
OOC R_4

$$R_2$$

$$R_6$$
(11)

が必須であることが判明した。

**

CH₃COO

THOOC

CH₃COO

で示されるパキマ酸、または式 I - b: 【化 14】

で示されるデヒドロパキマ酸を挙げることができる。 【0008】さらに、3,4-セコラノスタン骨格を有する、式IIIまたは式IV:

50 【化15】

40

*

$$R_{1} = \frac{1}{R_{1} + \frac{1}{R_{1}}} = \frac{R_{1} + \frac{1}{R_{1}}}{R_{1} + \frac{1}{R_{2}}} = \frac{R_{1} + \frac{1}{R_{2}}}{R_{2} + \frac{1}{R_{2}}} = \frac{R_{1} + \frac{1}{R_{2}}}{R_{2}} =$$

[式中、 R_1 および R_2 は、H、または CH_3 であり、 R_3 は、H、OH、または $OCOCH_3$ であり、 R_4 は、-C(= CH_2)-C(CH_3) $_2$ - R_4 (ここで、 R_4 は、HまたはOHを示す)であり、 R_5 は、H、またはOHであり、 R_6 は、 CH_3 、または CH_2 OHである]で示されるトリテルペン類、好ましくは、例えば、式III-a: 【化 1.6】

*で示されるポリコ酸Aを挙げることができる。

【0009】本発明の化合物は、茯苓から例えば次のようにして得ることができる。市販の茯苓をメタノール、メタノールなどを含む水性溶媒、または水を用いて、還流しながら1~3時間かけて抽出する。沪過後得られた抽出液を減圧下で溶媒を留去し、得られた抽出エキスを各種のクロマトグラフィーを用いて分離精製する。さらに分離精製して得られた化合物をエステル化またはアシル化する。例えば、ポリポレン酸C、パキマ酸、デヒド20 ロパキマ酸およびポリコ酸Aは次のようにして分離精製する。


8

【0010】ポリポレン酸C、パキマ酸およびデヒドロパキマ酸の分離精製方法分離精製操作を下記の表1に示す。

【表1】

*

表1



【0011】茯苓15kgを水浴上メタノールで還流し ながら1時間抽出する。 沪過後得られた抽出液を減圧下 で溶媒留去し、メタノール抽出エキス86.4gを得 た。ついで、内径12cm、長さ80cmのシリカゲル 30 カラムクロマトを用い、クロロホルムーメタノール(5 O:1)で順次溶出し、フラクションA~Dを得た。フ ラクションAは過剰のクロロホルムを加えると沈殿を生 じた。この沈殿物を90%メタノール溶液を溶媒とし て、逆相系分取高速液体クロマトグラフィーに繰り返し 付し、ポリポレン酸C(33mg)、パキマ酸(500 mg) およびデヒドロパキマ酸(100mg)を得た。 【0012】ポリコ酸Aの分離精製方法(表1参照) 上記のフラクションDをさらにシリカゲルカラムクロマ ト及び逆相系分取高速液体クロマトグラフィーに繰り返 40 C34 H54 O5 し付し、ポリコ酸A(100mg)を得た。

(33mg)

【0013】また、必要に応じ、通常用いられる適当な 溶媒を使って再結晶による精製を行ってもよい。

【0014】ポリポレン酸C

無色針状結晶

 $mp:273\sim275^{\circ}$ $\{\alpha\}_{0}^{25} + 2$ ° (ピリジン) $EI - MS (m/z) : 482 (M^{+})$ HR-MS:482.3383(C31H46O4)(計算值4 82.3398)

* UV λ max (MeOH) nm : 242 (log ε = 4.25) $IR \nu \max(KBr) cm^{-1}: 3400, 2950, 171$ 0, 1680, 1250

(100 mg)

【0015】パキマ酸

無色針状結晶

(500mg)

mp:296~298° [α]_D²⁵ +6°(ピリジン) $EI-MS(m/z):528(M^{+})$ HR-MS:528.3826(C33H52O5)(計算值5 28.3817) $IR \nu \max(KBr) \text{ cm}^{-1}: 3500, 2950, 173$ 0, 1680, 1260 【0016】パキマ酸メチル

NMR (UUUUV-ds) 21-OCH₃ (δ_H 3.7

5, δc 51.1)

【0017】デヒドロパキマ酸 無色針状晶 mp:268~270° [α]0²⁵ +41°(ピリジン)

 $EI-MS(n/z):526(M^{+}),508,493,$ 433

元素分析 計算値 C33 H50 O5 C; 75.25, H; *50 9.59 実測値 C; 75.04, H; 9.61

UV $\lambda \max(\text{EtOH})$ nm: 242(log $\varepsilon = 4.10$) $IR \nu \max(KBr) \text{ cm}^{-1}: 1730, 1680$

【0018】ポリコ酸A

無色針状晶

mp:248~249°

[α]0²⁵ +22°(メタノール)

 $EI-MS(m/z):498(M^{+}),480,425$

HR-MS:498.3362(C31H46O5)(計算值4 98.3345)

 $UV\lambda \max(EtOH)$ nm: 242(log $\varepsilon = 4.11$)

 $IR \nu \max(KBr) \text{ cm}^{-1}: 1703, 1640$

【0019】ポリコ酸Aジメチル

C33 H50 O5

NMR ($\forall U \forall V \rightarrow d_5$) 21-OCH₃ (δ_H 3.6 4, $\delta c = 51.1$)

 $3-OCH_3$ (δ_H 3.79, δ_C 51.3)

16-O-アセチルポリコ酸A

C35 H52 O6

 $04, \delta c 170.4, 22.4$

【0020】本発明の化合物には一般に生体内において 遊離形と実質的に同様の生理活性または薬理活性を発揮 するもの、例えば、本発明の化合物の誘導体、具体的に は、酢酸エステルなどのエステル体、およびK、Naな どの医薬的に許容され得る塩、また付加塩、水和物など は本発明の技術的範囲に含まれるものである。

【0021】鎮叶活件試験

1.被検溶液の調製

懸濁化剤として1%ツイーン80(東京化成工業株式会 30 【表2】 社)、さらに溶解補助剤として、5%ジメチルスルホキ*

*シドを用い、懸濁液または水溶液として10~100m g/kgの濃度に調製した。

12

【0022】2. 使用動物

体重5~15gの雄性または雄性のトノサマガエル (Ra na nigromaculata)、およびアカガエル (Rana japonic a) を三協ラボサービス株式会社(東京)より購入し、 健康状態の良好なものを使用した。

【0023】3. 硫酸銅誘発性嘔吐抑制活性試験

正常なカエルを1群5~10匹に分け、飼料としてイト 10 ミミズ2.0ml/10g体重を強制投与し、3時間後 に被検溶液を10mg~500mg/kg体重の濃度で リンパ腔内投与し、物理的刺激を避け、30分間静置さ せた。その後、催吐剤として末梢性催吐剤の硫酸銅 (無 水) (ヨツハタ化学工業株式会社) 150mg/kg体 重を経口投与し、胃内容物の吐出を誘発させ、対照群に 対する被検溶液投与群の嘔吐潜伏期間(初回嘔吐までに 要する時間)の延長を指標として活性を判定した。

【0024】4. 嘔吐潜伏時間の表現方法

- a)嘔吐潜伏時間(emetic latency)
- NMR (ピリジン-ds) 16-OCOCH3 (δH 2. 20 各群の平均値±標準誤差(平均値±S.E.)で示し、t検 定により有意差検定を行った。
 - b) 嘔吐潜伏時間の延長率 (prolongation) [(被検溶液投与群の平均嘔吐潜伏時間/対照群の平均 嘔吐潜伏時間)-1]×100(%)
 - c)異常値の棄却

各投与群における異常値の棄却は、スミレノフ法による 棄却検定に従った。

【0025】5. 結果

鎮吐活性試験の結果を表2に示す。

表2

試料	投与量	蛙の匹数	潜伏時間		延長率
	(mg/kg体重)		(分)		(%)
対照	-	6	$31.0\pm$	2.9	
ポリポレン酸C	10	7	$47.9 \pm$	3.7	54.5
	30	7	60.0±	7.1*	93.5
対照	_	5	26.6±	4.1	
パキマ酸	10	5	27.8±	4.7	4.5
	30	5	38.6±	5.5	45.1
	50	5	60.6±	7.9**	127.8
	100	5	65.6±	6.9**	146.6
対照	_	6	21.8±	3.0	
デヒドロパキマ酸	10	6	20.0±	3.7	_
	30	6	$35.7 \pm$	4.7*	63.8
	50	6	43.0±	5.0**	97.2
対照	_	6	21.8±	3.1	
ポリコ酸A	10	6	17.0±	2.3	
	30	6	31.7±	4.4	49.5
	50	5	44.4±	5.0**	109.4

1 3				1 4
	100	5	45.2± 7.7*	113.2
対照	_	5	22.8± 4.6	
茯苓MeOH抽出物	500	5	48.6 ± 13.6	113.2
数値は平均値土	S.E.			

対照値と著しく異なる:*p<0.05, **p<0.01

【0026】評価

4種の被検化合物のうち、ポリポレン酸Cは最小投与量である10mg/kg体重において、50%以上の制吐潜伏時間の延長を示した。残りの3種の化合物は30mg/kg体重の投与量で約50%の延長率を示した。ポ 10リポレン酸Cは、30mg/kg体重で、また残りの3種の被検化合物は、50mg/kg体重で約2倍の顕著な鎮吐活性を示した。

【0027】茯苓単離化合物およびその誘導体の構造と 鎮吐活性の相関関係

茯苓から単離されたトリテルペンおよびその誘導体の鎮吐活性について、その構造活性相関性を検討した。以下では、茯苓エキスの鎮吐活性を示し、硫酸銅誘発の嘔吐発現時間の延長を起こす数種のトリテルペンの活性を試験した。

【0028】1.被検化合物

パキマ酸 (1)、デヒドロパキマ酸 (2)、 3β -ヒドロキシラノスター7,9(11),24ートリエンー21ーオイックアシッド (3)、ツムロ酸 (5)、デヒドロエブリコ酸 (6)、デヒドロエブリコン酸 (7)、3-エピデヒドロツムロ酸 (9)、ポリコ酸A (10)、ポリコ酸B (11) およびポリコ酸D (12) は上記の分離方法と同様にして茯苓あるいは茯苓皮より単離したものを用いた。パキマ酸メチル (1a) およびポリコ酸Aジメチル (10a) は、1と10をそれぞれジアゾメタン 30処理により製造した。3-0-7セチルー16 α -ヒドロキシトラメテノール酸 (4) およびポリポレン酸C *

* (8) はそれぞれのN-フタルイミドメチルエステル (4b、8b) の加水分解により調製した(田井孝明 ら、Phytochemistry 30, 2796-2797(1991)、31, 2548-2549(1992)、32, 1239-1244(1993)およびPhytochemistry 投稿中の論文参照)。16-O-アセチルポリコ酸 A (10c)は10のアセチル化により調製した。【0029】2. 試薬

【UUL9】L、武楽

催吐薬は硫酸銅(和光純薬社製)を使用し、クロロプロマジン、メトクロプラミドおよびp-アミノ安息香酸エチルを陽性対照薬として使用した。

【0030】3. 使用動物

トノサマガエル (Rana nigromaculata) は雄雌混合体重6-16gを三共ラボサービスより購入し用いた。

20 【0031】4. 鎮吐試験方法

硫酸銅誘発性嘔吐抑制試験法を用いた。カエルを一群6匹ずつに分け、試験開始3時間前にイトミミズを強制摂食させた。試料溶液は5%ツイーン80に懸濁させ、10~100mg/kg体重でリンパ腔投与し30分間安静にした。その後、催吐剤の硫酸銅を経口投与し、80分後まで最初の嘔吐発現時間を測定した。結果はコントロールに対する嘔吐発現時間の延長で判断した。嘔吐発現時間の延長は被験試料の鎮吐活性を示している。

【0032】5. 結果

全てのデータは±S.E.で示した。統計学的な有意差は tー検定で行った。鎮吐活性試験の結果を表3に示す。 【表3】

表	3

20				
試料	投与量	蛙の匹数	潜伏時間	延長率
	(mg/kg体	重)	(分)	(%)
対照	_	6	25.7 ± 4.1	
パキマ酸	1 0	6	25.3 ± 5.1	_
II - a	30	6	35.0 ± 5.3	36.2
(1)	50	5	55.4±7.8**	115.6
	100	6	53.3±6.0**	107.4
対照	_	5	35.2 ± 4.5	
パキマ酸メチル	10	5	27.4 ± 3.9	_
(1a)	3 0	5	42.0 ± 6.7	19.3
	5 0	6	$52.7 \pm 5.0*$	49.7
	100	5	40.0 ± 3.2	13.6
対照	_	6	21.8 ± 3.0	
デヒドロパキマ酸	10	6	20.0 ± 3.7	-
I – b	3 0	6	$35.7 \pm 4.7*$	63.8
(2)	50	6	43.0±5.0**	97.2
	100	5	26.2 ± 5.4	20.2

1 5				
対照		6	24.0 ± 5.7	
3β-ヒト'ロキシラ/スタ-7.9	10	6	23.5 ± 3.9	_
(11),24-トリエン-21-	30	6	20.0 ± 2.9	_
オイック・アシット・	50	6	21.5±4.9	_
(3)	100	5	20.8 ± 3.8	_
対照		6	27.2 ± 3.4	
3-0-7tfl-16α-th' p‡	<u>۶</u> – 10	5	37.0±4.2	36.0
トラメテノール酸	3.0	4	16.8 ± 6.1	_
17777 762	50	5	32.4 ± 10.1	19.1
(4)	100	5	26.6 ± 5.0	1 7.1
対照 .	100	6	16. 2±4.6	
3-0-7 セチル -16α-ヒトロキ	·- 10	4	8.8±3.1	_
	30	5		7 5 2
トラメテノール酸			28.4±8.6	75.3
フタルイミト・メチル エステル	50	5	10.4 ± 3.2	_
(4b)	100	5	19.4 ± 2.4	_
対照	_	6	32.3 ± 4.5	
ツムロ酸	10	6	22.8 ± 3.7	_
(5)	3 0	6	29.5 ± 3.5	_
	50	5	36.4 ± 1.5	12.7
	100	6	33.0 ± 3.4	2.2
対照	_	5	29.8 ± 4.3	
デヒドロ	10	5	31.0 ± 6.7	4.0
エブリコ酸	3 0	5	39.8 ± 4.4	33.6
(6)	5 O	5	26.2 ± 6.8	
対照	_	6	22.7 ± 3.4	
デヒドロエブリ	10	6	27.0 ± 3.7	18.9
コン酸	30	6	36.7±2.3*	61.7
(7)	50	6	26.2 ± 2.0	15.4
対照	_	5	34.4±3.6	
ポリポレン酸C	10	5	41.0 ± 3.4	39.2
I – a	3 0	5	68.2±5.8**	98.3
(8)	50	5	50.4 ± 5.8	46.5
(0)	100	5	37.6 ± 4.1	9.3
対照	_	5	38.8±4.8	7.5
ポリポレン酸C	10	5	33.0 ± 6.3	_
フタルイミト・メチル エステル	30	5	29.8±6.1	_
(8b)	50	5	45.4±9.5	17.0
(85)	100	5	59.2 ± 10.7	52.6
対照	100	5	23.2±4.3	52.0
	1.0			202
3-エピデヒドロ	10	5	30.0 ± 6.5	29.3
ツムロ酸	30	5 -	15.6±4.3	_
(9)	50	5	13.8±5.2	_
Lim	100	5	23.8±3.4	
対照	_	6	21.8±3.1	
ポリコ酸A	10	6	17.0 ± 2.3	_
III-a	30	6	31.7 ± 4.4	49.5
(10)	50	5	$44.4 \pm 5.0**$	109.4
	100	6	$45.2 \pm 7.7 *$	112.3
対照	_	5	15.4 ± 3.7	
ポリコ酸Aジメチル	10	5	$38.6 \pm 4.3 *$	120.6

		(10)	特開平8-119864
1 7			18
(10a)	30	3	23.7±6.9 53.9
	50	5	21.8 ± 8.1 41.6
	100	5	11.8 ± 2.2 -
対照	_	5	22.8±5.8
16-0-アセチル	10	5	30.2 ± 2.8 32.5
ポリコ酸A	30	5	20.6 ± 4.9 –
(10c)	50	5	52.7±11.0 131.1
	100	5	70.2 ± 7.0 207.9
対照	_	5	25.8±6.1
ポリコ酸B	10	5	15.4 ± 4.2 –
(11)	30	6	19.0±4.5 -
	50	6	31.8 ± 4.5 . 23.3
	100	5	4.2 ± 0.5 -
対照		6	35.5±3.3
ポリコ酸D	10	6	21.3 ± 4.1 -
(12)	30	6	41.2 ± 4.8 16.1
	50	6	25.0±3.9 -
	1 0 0.	6	18.3±4.9 -
対照	-	6	35.7 ± 4.3
クロルプロマジン	10	6	38.7 ± 3.4 9.6
	30	7	$63.0 \pm 6.8**$ 76.5
	50	6	66.2±6.1** 85.4
	100	7	$72.6 \pm 4.2 \qquad 103.4$
対照	_	7	30.9 ± 4.1
メトクロプラミド	10	7	34.7 ± 4.1 12.0
	3 0	7	39.7 ± 5.6 28.5
	50	6	59.8±4.5*** 93.5
	100	7	80.0±0.0(嘔吐なしで158.9
%)			
対照	. —	7	38.1 ± 4.1
p-アミノ安息香酸	10	7	36.9 ± 4.4 -
エチル	3 0	7	53.0 ± 3.9 39.1
(経口投与)	50	7	$66.7 \pm 3.9 *** 75.1$
対照	. –	7	27.3±3.9
p-アミノ安息香酸	1 0	7	37.4 ± 3.5 37.0
エチル	3 0	7	$46.7 \pm 3.9** 70.8$
(リンパ腔に投与)	50	7	$56.1 \pm 3.9 *** 105.5$

【0033】評価と考察

吐活性について、その構造活性相関を検討した。茯苓の メタノールエキスを500mg/kg体重投与した時、 113.2%の嘔吐発現の時間の延長があった。化合物 1は茯苓中にもっとも多く含まれる成分で、そのメチル エステル1 a も 鎮吐活性を示したが、化合物3、4、4 b、5および6には顕著な活性がなかった。この結果よ りそれらトリテルペンの3位のアセチル基と24位のエ キソメチレン基が鎮吐活性に必須であると考えられる。 化合物7と8は活性があったが、8 bは顕著な活性がな

*: P<0.05, **: P<0.01 ***: P<0.001

*性を減少させており、16位の水酸基の存在は活性には 茯苓から単離されたトリテルペンおよびその誘導体の鎮 40 関与していないと見られる。化合物8は投与量を多くす ると(50~100mg/kg体重)、鎮吐活性は減少 し子想外の結果であった。3,4-セコ体のトリテルペ ンに関して側鎖にエキソメチレン基をもっている化合物 10および10aは活性があったが、10aの投与量を 上げると(>30mg/kg体重)予想外の活性の低下 をみた。活性のあったいくつかのトリテルペンは陽性対 照薬のクロロプロマジン、メトクロプラミドおよびp-アミノ安息香酸エチルと同程度の効果があった。

【0034】以上の結果より側鎖の24位にエキソメチ かった。21位のフタルイミドメチルエステルは鎮吐活*50 レン基を持ついくつかのトリテルペンはカエルに対して

鎮吐活性があった。シャルマらは側鎖の24位にエキソ メチレン基を持つトリテルペンに家蝨のある種を殺す活 性があることを報告している (Sharma, M.C. et al., Phytochemistry 37,201-203(1994)). のことからも側鎖の24位のエキソメチレン基は生理活 性に対し何らかの効果を表す因子であると考えられる。

【0035】急性毒性試験

(1)試験化合物

ポリコ酸A

(2)試験方法

BDF1雄性マウス4週令5匹を使用し、1週間動物室 で馴化後、18時間絶食させてから試験化合物を0.5 %CMC-Naに懸濁して、経口投与した(投与容量 0.1ml/10g体重)。

(3) 試験結果

1000mg/kgの用量をマウスに投与しても死亡例 はなく、異常症状も認められなかった。従って、試験化 合物の毒性は低い。

【0036】有効な投与量および投与方法

本発明の化合物はそのまま、あるいは慣用の製剤担体と 20 て、殺菌剤、防腐剤、安定剤等を加えてもよい。 共に動物および人に投与することができる。投与形態と しては、特に限定がなく、必要に応じ適宜選択して使用 することができ、錠剤、カプセル剤、顆粒剤、細粒剤、 散剤等の経口剤、注射剤、経皮吸収剤、坐剤等の非経口 剤が挙げられる。

【0037】経口剤としての有効量は、患者の年令、体 重、疾患の程度により異なるが、通常成人で本発明の化 合物の重量として10mg~500mgを、1日数回に 分けての服用が適当である。経口剤は、例えば、乳糖、 デンプン、ショ糖、ブドウ糖、マンニトール、コンスタ 30. ーチ、無機塩類等を用いて常法に従って製造される。

【0038】 これらの製剤には、必要に応じて上記の賦 形剤の他に、結合剤、崩壊剤、界面活性剤、滑沢剤、流 動化剤、矯味剤、着色剤、香料等を使用することができ る。

【0039】例えば、結合剤にはデンプン、デキストリ ン、アラビアゴム末、ヒドロキシプロピルスターチ、結 晶セルロース、エチルセルロース、メチルセルロース、 カルボキシメチルセルロースナトリウム、ヒドロキシプ ロピルセルロース、ポリビニルピロリドンを挙げること 40 ができる。

【0040】崩壊剤としては、デンプン、ヒドロキシプ ロピルスターチ、カルボキシメチルセルロースナトリウ ム、カルボキシメチルセルロースカルシウム、カルボキ シメチルセルロース、低置換ヒドロキシプロピルセルロ ース、ポリビニルピロリドンがある。

【0041】界面活性剤としては、ラウリル硫酸ナトリ ウム、大豆レシチン、卵黄レシチン、ショ糖脂肪酸エス テル、ポリソルベート80が挙げられる。

加植物油、ショ糖脂肪酸エステル、ステアリン酸マグネ シウム、ステアリン酸カルシウム、ステアリン酸アルミ ニウムがある。

【0043】流動化剤としては、軽質無水ケイ酸、乾燥 水酸化アルミニウムゲル、合成ケイ酸アルミニウム、ケ イ酸マグネシウムを挙げることができる。

【0044】また、本発明の化合物は、懸濁液、乳化 剤、シロップ剤、エリキシル剤としても投与することが でき、これらの剤形には、矯味矯臭剤、着色剤が含まれ 10 ていてもよい。

【0045】非経口剤として鎮吐効果を発揮するために は、患者の年齢、体重、疾患の程度により異なるが、通 常成人で本発明の化合物の重量として1日0.1mg~ 5mgまでの皮下注射、筋肉注射が適当と思われる。

【0046】この非経口剤は常法に従って製造され、希 釈剤として一般に注射用蒸留水、生理食塩水、ブドウ糖 水溶液、注射用植物油、ゴマ油、落花生油、大豆油、ト ウモロコシ油、プロピレングリコール、ポリエチレング リコール等を用いることができる。さらに必要に応じ

【0047】その他の非経口剤としては、外用液剤、ゲ ル状軟膏等の経皮吸収剤、直腸内投与のための坐剤等が 挙げられ、常法に従って製造される。

【0048】次に、本発明の製剤例を示して、本発明を さらに詳細に説明するが、本発明はこれにより何ら制限 されるものではない。

【0049】実施例1

	①ポリポレン酸C	10g
	②乳糖	62g
	③ デンプン	20g
,	④ カルポキシメチルセルロースカルシウム	5 g
	⑤軽質無水ケイ酸	2 g
	⑥ステアリン酸マグネシウム	1 g
	計	100g

上記の処方に従って ○ ~ ⑥ を均一に混合し、打錠機にて 圧縮成形して一錠200mgの錠剤を得た。この錠剤一 錠には、ポリポレン酸Cが20mg含まれており、成人 一日3~6錠を数回に分けて服用する。

【0050】実施例2

【ひひうひ】天旭門2	
①ポリコ酸A	10g
②結晶セルロース	30g
③乳糖	52g
④カルポキシメチルセルロースカルシウ	7ム 5 g
⑤軽質無水ケイ酸	2 g
⑥ステアリン酸マグネシウム	1 g
計	100g

上記の処方に従って①、③、⑤および⑥の一部を均一に 混合し、成形圧縮した後、粉砕し、②、④および⑥の残 量を加えて混合し、打錠機にて圧縮成形して一錠200 【0042】滑沢剤の例には、タルク、ロウ類、水素添 50 mgの錠剤を得た。この錠剤--錠には、ポリコ酸Aが2

Omg含まれており、成人一日3~6錠を数回に分けて 服用する。

【0051】実施例3 ①パキマ酸	2 g
②デキストリン	71g
③結晶セルロース	20g
④7%ヒドロキシプロピルセルロース溶液	20g
計	113g

上記の処方に従って①~②を均一に混合し、ねつ和し た。押し出し造粒機により造粒後、乾燥し、12号のふ 10 【0055】実施例7 るいを通して顆粒剤を得た。この顆粒剤1gにはパキマ 酸が20mg含まれており、成人1日3~6gを数回に 分けて服用する。

【0052】実施例4

DE 16/17酸	2 g
②ギ ストリン	73g
③ 積化−ス	20g
便到 軟/酸	4g
⑤テアリン酸パシウム	1g
計	100g

上記の処方に従って①~⑤を均一に混合し、圧縮成形機 で圧縮成形後、破砕機で砕き、30号のふるいを通して 細粒剤を得た。この細粒剤1gにはデヒドロパキマ酸が 20mg含まれており、成人1日3~6gを数回に分け て服用する。

【0053】実施例5

ノヘルビレチン	
() 那	9g
② >スタ ーチ	77g
3輪ルース	10g
建筑 水/酸	3g
⑤デアリン酸グシウム	· 1g
計	100g

上記の処方に従って、**②~⑤**を均一に混合し、220m gを2号カプセルに充填した。このカプセル剤1粒に は、ポリポレン酸Cが20mg含まれており、成人1日 22

3~6粒を数回に分けて服用する。

【0054】実施例6

の対り酸	1g
2 A THE	92 g
③リープ 抽	5g
金短 沙脂質	2g
計	100g

上記の処方に従って①を③と④に溶解し、これに②を加 えて乳化し、注射剤を得た。

①\$7酸	1g
② がピングコール	20g
③ 9/-N	30g
₯ ルメロースナトリウム	1g
(B)	48g
計	100g

上記の処方に従って①に②と③を加えて混合する。これ に別に④を5の1部で膨潤させたものに加え均一に混和 した後、撹拌下にさらに5の残部を加えて、十分に練り 20 会わせてゲル状軟膏剤を得た。

【0056】実施例8

DE 187.\$7酸	1 g
2加脂	97g
(到)的	2g
計	100g

上記の処方に従って①を③に加えて溶解分散させ、これ に②を加えて溶融させてから、十分に練り合わせる。さ らに金型に充填し、冷却させて1個約1.8gの坐剤を 得た。

30

ANTIEMETIC AGENTS [Chintoyaku]

Kunio Takahashi, et al.

UNITED STATES PATENT AND TRADEMARK OFFICE Washington, D.C. June 2007

Translated by: FLS, Inc.

PUBLICATION COUNTRY	(19): JP
DOCUMENT NUMBER	(11): 08119864
DOCUMENT KIND	(12): A
	(13): PUBLISHED UNEXAMINED APPLICATION (Kokai)
PUBLICATION DATE	(43): 19960514
PUBLICATION DATE	(45):
APPLICATION NUMBER	(21): 07159228
APPLICATION DATE	(22): 19950626
INTERNATIONAL CLASSIFICATION	(51): A61K 31/575, 31/19, 31/215; C07J 9/00
PRIORITY COUNTRY	(33): JP
PRIORITY NUMBER	(31): 06210039
PRIORITY DATE	(32): 19940902
INVENTORS	(72): TAKAHASHI, KUNIO; TAI, TAKAAKI
APPLICANT	(71): KOTARO KANPO SEIYAKU KK.
TITLE	(54): ANTIEMETIC AGENTS
FOREIGN TITLE	[54A]: CHINTOYAKU

[Claim 1] An antiemetic agent containing, as the active ingredient, a minimum of one kind of triterpene that has a lanostane skeleton represented by Formula A:

[Chem. 1]

(wherein R_1 denotes H or lower alkyl, and R_2 is lower alkanoyloxy or forms C=O together with a carbon atom that constitutes a ring) or a 3,4-secolanostane skeleton represented by Formula B:

[Chem. 2]

(wherein R_1 denotes H or lower alkyl).

^{*} Numbers in the margin indicate pagination in the foreign text.

[Claim 2] The antiemetic agent stated in Claim 1 that contains, as the active ingredient, a minimum of one kind of triterpene that has a lanostane skeleton represented by Formula I or Formula II:

[Chem. 3]

$$\begin{array}{c|c}
R_1OOC \\
R_2 \\
R_3
\end{array}$$

$$\begin{array}{c|c}
R_1OOC \\
R_3
\end{array}$$

$$\begin{array}{c|c}
R_1OOC \\
R_3
\end{array}$$

$$\begin{array}{c|c}
R_1OOC \\
R_3
\end{array}$$

$$\begin{array}{c|c}
R_1OOC
\end{array}$$

$$\begin{array}{c|c}
R_1OOC$$

$$\begin{array}{c|c}
R_1OOC
\end{array}$$

$$\begin{array}{c|c}
R_1OOC$$

$$\begin{array}{c|c}
R_1OOC
\end{array}$$

$$\begin{array}{c|c}
R_1OOC$$

$$\begin{array}{c|c}
R_1OOC
\end{array}$$

[wherein R_1 denotes H or CH_3 ;

 R_2 is $-OCOCH_3$ or forms C=O together with a carbon atom that constitutes a ring;

 R_3 and R_5 denote H or OH, optionally being the same or different from each other;

 R_4 is $-C\,(=CH_2)\,-CH\,(CH_3)_{\,2}\,-Ra$ (wherein Ra indicates H or OH); and R_6 denotes CH_3 or $CH_2OH]$.

[Claim 3] The antiemetic agent stated in Claim 1 or 2, wherein the aforesaid triterpene having a lanostane skeleton is polyporenic acid C represented by Formula I-a:

[Chem. 4]

pachymic acid represented by Formula II-a:

[Chem. 5]

or dehydropachymic acid represented by Formula I-b:

[Chem. 6]

[Claim 4] An antiemetic agent that contains, as the active ingredient, a minimum of one kind of triterpene that has a 3,4secolanostane skeleton represented by Formula III or Formula IV:

[Chem. 7]

$$\begin{array}{c|c} R_1OOC \\ \hline R_$$

[wherein R₁ denotes H or CH₃;

 R_3 is H, OH, or OCOCH₃;

<u>/3</u>

 R_4 is $-C(=CH_2)-C(CH_3)_2-Ra$ (wherein Ra indicates H or OH); R_5 denotes H or OH; and R_6 denotes CH_3 or CH_2OH].

[Claim 5] The antiemetic agent stated in Claim 4, wherein the aforesaid triterpene having a 3,4-secolanostane skeleton is poricoic acid A represented by Formula III-a:

[Chem. 8]

[Detailed Description of the Invention]

[0001]

[Field of Industrial Application] The present invention pertains to antiemetic agents that have, as the active ingredient, a minimum of one kind of compound having a lanostane skeleton or 3,4-secolanostane skeleton and that are useful for suppressing nausea and vomiting.

[0002]

[Prior Art and Problems that the Invention Intends to Solve] As curative agents for suppressing nausea and vomiting, chemically synthesized drugs, such as metoclopramide, domperidone, aclatonium napadisilate, trimeptine maleate, have been developed and put in use. These curative agents, however, are known to cause serious side effects, and there has been a demand for the development of curative

agents that have the effect of suppressing nausea and vomiting with few side effects. Accordingly, the present inventors conducted extensive research to find agents having an antiemetic activity among crude drugs, which usually have few side effects and gentler effects. As a result, they found that the components in hoelen, which is known to have a diuretic effect, have an antiemetic activity. The present invention was achieved based on this finding.

[0003] The hoelen produced in Japan and China is derived from fungi Poria cocos Wolf of the Polyporaceae that appears around the roots of pine trees (Pinus spp., Japanese red pine and the like) that have been cut down and dead for three to five years. The hoelen produced in other foreign countries uses cedars, oaks, lacquer trees, and other plants as its host, besides Pinus plants. It is an irregular mass, and its surface is dark brown and looks like a pine skin, while the interior is white or light pink. Hoelen is obtained by peeling the exterior layer of the sclerotia and drying it. It tastes somewhat viscid and has a unique faint odor when it is fresh. In Chinese herbal medicine, it is used as a diuretic or sedative for treating diuretic disorders, cardiac palpitation, and the like. Four kinds of compounds that are isolated and purified in the present invention are already known, but there has been no report that these compounds possess an antiemetic activity.

[0004]

[Means for Solving the Problems] The antiemetic agents of the present invention contain the following compounds as the active ingredient. Triterpenes that have a lanostane skeleton represented by Formula A:

[Chem. 9]

(wherein R_1 denotes H or lower alkyl, and R_2 is lower alkanoyloxy or forms C=O together with a carbon atom that constitutes a ring) or a 3,4-secolanostane skeleton represented by Formula B:

[Chem. 10]

<u>/4</u>

(wherein R_1 denotes H or lower alkyl).

[0005] In these formulas, the dotted lines that are drawn between carbon atoms C_7 - C_9 - C_{11} represent either C_7 = C_8 - C_9 = C_{11} or C_7 - C_8 = C_9 - C_{11} . The term "lower alkanoyloxy" is also referred to as lower alkyl

carbonyloxy, and the term "lower alkyl" means a linear or branched saturated hydrocarbon moiety that contains 1 to 6, preferably 1 to 5, better yet, 1 to 4, carbon atoms. It includes, for example, methyl, ethyl, propyl, isopropyl, butyl, t-butyl, and the like.

[0006] The present inventors learned that, as an antiemetic agent, it is essential for Formula A to have C=O that forms the ring in position 3 or a substituent -OCO- in position 3 and exomethylene in position 24 and for Formula B to have -CO in position 3 and exomethylene in position 24.

[0007] More specifically, the compounds of the present invention are triterpenes represented by Formula I or Formula II:

[Chem. 11]

$$R_{1}OOC$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{6}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{8}$$

$$R_{1}$$

$$R_{1}$$

$$R_{2}$$

$$R_{3}$$

$$R_{4}$$

$$R_{5}$$

$$R_{6}$$

$$R_{7}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

$$R_{8}$$

[wherein R_1 denotes H or CH_3 ; R_2 is $-OCOCH_3$ or forms C=O together with a carbon atom that constitutes a ring; R_3 and R_5 denote H or OH, optionally being the same or different from each other; R_4 is $-C(=CH_2)-CH(CH_3)_2-Ra$ (wherein Ra indicates H or OH); and R_6 denotes CH_3 or CH_2OH], and some preferable examples include polyporenic acid C represented by Formula Ia:

[Chem. 12]

pachymic acid represented by Formula II-a:

[Chem. 13]

dehydropachymic acid represented by Formula I-b:

[Chem. 14]

[0008] Further, the compounds of the present invention include triterpenes that have a 3,4-secolanostane skeleton and that are represented by Formula III or Formula IV:

[Chem. 15]

<u>/5</u>

$$\begin{array}{c} R_{1}OOC \\ R_{1}OOC \\ R_{2} \\ \hline R_{1}OOC \\ \hline R_{3} \\ \hline R_{1}OOC \\ \hline R_{1}OOC \\ \hline R_{2} \\ \hline R_{3} \\ \hline R_{3} \\ \hline R_{3} \\ \hline \end{array}$$

$$(111) \qquad (1 V)$$

[wherein R_1 and R_2 denote H or CH_3 ; R_3 is H, OH, or $OCOCH_3$; R_4 is - $C(=CH_2)-C(CH_3)_2$ -Ra (wherein Ra indicates H or OH); R_5 denotes H or OH; and R_6 denotes CH_3 or CH_2OH], preferable among which is poricoic acid A represented by Formula III-a:

[Chem. 16]

[0009] The compounds of the present invention can be obtained from hoelen as follows. Commercially available hoelen is extracted with methanol, with an aqueous solvent containing methanol or the like, or with water for 1 to 3 hours under reflux. From the extract solution obtained after filtration, the solvent was distilled away under reduced pressure, and the obtained extract is isolated and purified using various kinds of chromatography. The compounds obtained by the isolation and purification are further esterified or acylated.

Polyporenic acid C, pachymic acid, dehydropachymic acid, and poricoic acid A, for example, are isolated and purified as follows.

[0010] Table 1 in the following illustrates the isolation and purification method and isolation and purification procedures for polyporenic acid C, pachymic acid, and dehydropachymic acid.

[Table 1]

TABLE 1 茯苓(15.0kg)(a) MeO H抽出(b) MeOH抽出エキス(86.4g)(C) シリカゲル(d) (CHC1: MeOH=50:1) Fr.C Fr.D Fr.B Fr.A 過剰のCHCL。添加(e) ODS-HPLC(50X-NeCN) ポリコ酸A(f) (100mg) CHCls sol. CHC1, insol. ODS-HPLC(90%-MeOH) (i) (h) デヒドロパキマ酸 ポリポレン酸C パキマ酸 (33mg) (500mg) (100mg)

Key: a) hoelen; b) MeOH extraction; c) MeOH-extracted extract; d) silica gel; e) add an excess amount of $CHCl_3$; f) poricoic acid A; g) polyporenic acid C; h) pachymic acid; i) dehydropachymic acid.

[0011] Fifteen kilograms of hoelen was extracted with methanol under reflux for 1 hour over a water bath. From the extract solution obtained after filtration, the solvent was distilled away under reduced pressure, thereby obtaining 86.4 g of a methanol-extracted extract. Thereafter, using a silica gel chromatogram column having an

/6

inner diameter of 12 cm and a length of 80 cm, the extract was eluted with chloroform-methanol (50 : 1), thereby obtaining fractions A through D. Fraction A [sic] formed a precipitate when an excess amount of chloroform was added to it. This precipitate was subjected to reverse-phase preparative high-performance liquid chromatography repeatedly, using a 90 % methanol as the solvent, thereby obtaining polyporenic acid C (33 mg), pachymic acid (500 mg), and dehydropachymic acid (100 mg).

[0012] Isolation and purification method for poricoic acid A (see Table 1)

The aforesaid fraction D was further subjected to silica gel column chromatography and reverse-phase preparative high-performance liquid chromatography repeatedly, thereby obtaining poricoic acid A (100 mg).

[0013] If necessary, the fraction may be subjected to purification by recrystallization with the use of an appropriate solvent that is conventionally used.

[0014] Polyporenic acid C

Colorless acicular crystal

mp: 273 to 275 °C

 $[\alpha]_D^{25} + 2^{\circ}$ (pyridine)

 $DI-MS (m/z): 482 (M^{+})$

HR-MS: 482.3383 (C₃₁H₄₆O₄) (calculated value: 482.3398)

UV λmax (MeOH) nm: 242 (loge = 4.25)

IR vmax (KBr) cm⁻¹: 3400, 2950, 1710, 1680, 1250

```
[0015] Pachymic acid
Colorless acicular crystal
mp: 296 to 298 °C
[\alpha]_D^{25} + 6° (pyridine)
EI-MS (m/z): 528 (M^{+})
HR-MS: 528.3826 (C_{33}H_{52}O_5) (calculated value: 528.3817)
IR vmax (KBr) cm^{-1}: 3500, 2950, 1730, 1680, 1260
     [0016] Methyl pachymate
C_{34}H_{54}O_5
NMR (pyridine-d_5) 21-OCH<sub>3</sub> (\delta_H 3.75, \delta_C 51.1)
      [0017] Dehydropachymic acid
Colorless acicular crystal
mp: 268 to 270 °C
[\alpha]_D^{25} + 41° (pyridine)
EI-MS (m/z): 526 (M^+), 508, 493, 433
Elemental analysis calculated values C_{33}H_{50}O_5 C; 75.25, H; 9.59
Actual values C; 75.04, H; 9.61
UV \lambda max (EtOH) nm: 242 (loge = 4.10)
                                                                                 /7
IR vmax (KBr) cm^{-1}: 1730, 1680
      [0018] Poricoic acid A
```

Colorless acicular crystal

mp: 248 to 249 °C

 $[\alpha]_D^{25}$ + 22° (methanol)

EI-MS (m/z): 498 (M^{+}) , 480, 425, 407

 $HR-MS: 498.3362 (C_{31}H_{46}O_5)$ (calculated value: 498.3345)

UV λmax (EtOH) nm: 242 (loge = 4.11)

IR vmax (KBr) cm^{-1} : 1703, 1640

[0019] Dimethyl poricoate A

 $C_{33}H_{50}O_{5}$

NMR (pyridine- d_5) 21-OCH₃ (δ_H 3.64, δ_C 51.1)

 $3-OCH_3$ (δ_H 3.79, δ_C 51.3)

16-O-acetyl poricoic acid A

 $C_{35}H_{52}O_{6}$

NMR (pyridine- d_5) 16-OCOCH₃ (δ_H 2.04, δ_C 170.4, 22.4)

[0020] As the compounds of the present invention, the present invention generally encompasses, within its technical scope, substances that exhibit substantially the same physiological activities or pharmacological activities as those of free-form compounds within the living body--for instance, derivatives of the compounds of the present invention, more specifically, esters, such as acetic acid esters and so forth, and medically acceptable salts or addition salts of K, Na, and the like, hydrates, and so forth.

[0021] Antiemetic activity test

1. Preparation of test solution

Using 1 % Tween 80 (a product of Tokyo Kasei Kogyo Co.) as the suspending agent and 5 % dimethyl sulfoxide as the solubilizing agent, a test solution was prepared in the form of a suspension or an aqueous solution in a concentration of from 10 to 100 mg/kg.

[0022] 2. Test animals

Male and female black-spotted pond frogs (Rana nigromaculata) and ranids (Rana japonica) that weighed from 5 to 15 g were purchased from Sankyo Lab Service Co. (Tokyo), and those that were in a good health condition were used.

[0023] 3. Copper sulfate-induced-vomiting suppressing activity test

Healthy frogs were divided into groups of 5 to 10 frogs and fed sludgeworms by gavage in a quantity of 2.0 ml/10 g body weight. Three hours later, the test solution was administered into a lymph sinus at a dose of 10 mg to 500 mg/kg body weight, and the frogs were kept quiet for 30 minutes, avoiding physical stimulation. Thereafter, as the nauseant, a peripheral nauseant copper sulfate (anhydrous) (a product of Yotsuhata Chemical Industries Co.) was administered orally at a dose of 150 mg/kg body weight so as to induce the vomiting of gastric contents, and the vomiting suppressing activity was evaluated using, as the indicator, the prolongation of the emetic latency (the time that took for the initial vomiting to occur) of the test group when compared with the control group.

[0024] 4. Emetic latency expression method

a) emetic latency

It was expressed by each group's mean value \pm standard error (mean value \pm S.E.), and t-test was used for the significant difference test.

b) Prolongation of emetic latency

[(Average emetic latency of the test group/Average emetic latency of the control group)-1] x 100 (%)

c) Outlier rejection

Outlier rejection in each test group was conducted according to the Smirnov outlier test.

[0025] 5. Results

The results of the antiemetic activity test are shown in Table 2.

[Table 2]

TABLE 2				
試料(a) (b)投与量	蛙の匹数	潜伏時間 (d)	延長率(e)
	(配/成体组)	(c)	(分)	(%)
対照(f)	-	6	31.0± 2.9	
ポリポレン酸C(g) 10	7	47.9± 3.7	54.5
	30	7	60.0± 7.1*	93.5
対照 (f)	_	5	26.6± 4.1	
バキマ酸 (h)	10	5	27.8± 4.7	4.5
	30	5	38.6± 5.5	45.1
	50	5	60.6± 7.9≭	127.8
	100	5	65.6± 6.9 * *	146.6
対照(f)		6	21.8 ± 3.0	
デヒドロバキマ語		6	20.0± 3.7	in the
(i) 30	6	35.7± 4.7*	
	50	6	43.0± 5.0#	97.2
対照(f)	_	6	21.8 ± 3.1	
ポリコ酸A (j)	10	6	17.0 ± 2.3	
	30	6	31.7 ± 4.4	49.5
	50	5	44.4± 5.0≠	109.4
	100	5	45.2± 7.7*	113.2
対照(f)	_	5	22.8± 4.6	
茯苓McOH抽出物	500	5	48.6±13.6	113.2
(k)			

Key: a) specimen; b) dosage (mg/kg body weight); c) number of frogs;
d) latency (in minutes); e) prolongation; f) control; g) polyporenic
acid C; h) pachymic acid; i) dehydropachymic acid; j) poricoic acid A;
k) hoelen MeOH extract.

The numbers are mean values \pm S.E.

Considerably different from the value of the control: *p<0.05, **p<0.01.

[0026] Evaluation

Among the four kinds of test compounds, polyporenic acid C showed 50 % or more prolongation of emetic latency at the minimum dosage, 10 mg/kg body weight. The remaining three kinds of compounds exhibited approximately 50 % prolongation at a dosage of 30 mg/kg body weight. Remarkable antiemetic activity that was approximately twice that of the control was observed with polyporenic acid C at a dose of 30 mg/kg body weight and with the remaining three kinds of test compounds at a dose of 50 mg/kg body weight.

[0027] Correlation between the structure of hoelen isolated compounds and their derivatives and antiemetic activity

The antiemetic activity of triterpenes isolated from hoelen and of their derivatives are examined from the aspect of correlation between their structure and activity. In the following, the activity of several kinds of triterpenes that exhibit the antiemetic activity of a hoelen extract and delay the onset of copper sulfate-induced vomiting were tested.

[0028] 1. Tested compounds

Pachymic acid (1), dehydropachymic acid (2), 3β-hydroxy lanosta-7,9(11),24-triene-21-oic acid (3), tumulosic acid (5), dehydroeburicoic acid (6), dehydroeburiconic acid (7), 3-epidehydrotumulosic acid (9), poricoic acid A (10), poricoic acid B

(11), and poricoic acid D (12) used here were isolated from hoelen or hoelen peel in the same manner as the aforesaid isolation method. Methyl pachymate (1a) and diethyl poricoate A (10a) were prepared by processing 1 and 10 respectively with diazomethane. 3-0-acetyl-16α-hydroxy trametenoic acid (4) and polyporenic acid C (8) were prepared by hydrolysis of their respective N-phthalimide methyl esters (4b, 8b) [see Tai, Takaaki, et al, *Phytochemistry*, 30, 2796-2797 (1991), 31, 2548-2549 (1992), 32, 1239-1244 (1993), and the article submitted to *Phytochemistry*]. 16-0-acetylporicoic acid A (10c) was prepared by the acetylation of 10.

[0029] 2. Test Drugs

Copper sulfate (a product of Wako Pure Chemical Co.) was used as the emetic agent, and chlorpromazine, metoclopramide, and ethyl paminobenzoate were used as the positive control drugs.

[0030] 3. Test animals

Black-spotted pond frogs (Rana nigromaculata), both males and females and weighing from 6 to 16 g, were purchased from Sankyo Lab Service and used for the test.

[0031] 4. Antiemetic test method

The copper sulfate-induced-vomiting suppression test method was used. The frogs were divided into groups of 6 frogs and fed sludgeworms by gavage three hours prior to the start of the test. The test solution was suspended in 5 % Tween 80 and administered to a lymph sinus at a dose of from 10 to 100 mg/kg, and the frogs were kept quiet for 30

minutes. Thereafter, a nauseant copper sulfate was orally administered, and the time until the onset of vomiting was measured for the following 80 minutes. The result was evaluated based on the prolongation of the vomiting onset time compared with the control. The prolongation of the vomiting onset time indicates an antiemetic activity.

[0032] 5. Results

All the data was expressed by \pm S.E. Analytical significant difference was tested by t-test. The results are shown in Table 3.

[Table 3]

	TA	BLE	3	
試料(a)	(b) 投与量 蛇	の匹数		延長率
	(mg/kg体重)	(c)	(分) (d)	(%) (e)
対照(f)	*****	6	25.7±4.1	
バキマ酸	10	6	25.3±5.1	-
11-a	30	6	35.0±5.3	36.2
(1)	50	5	55.4±7.8**	115.6
	100	6	53.3±6.0₩	107.4
対照 (£)	•••	5	35.2±4.5	
パキマ酸メチル	10	5	27.4±3.9	•
(1 a)	30	5	42.0 ± 6.7	19.3
	50	6	52.7±5.0*	49.7
	100	5	40.0±3.2	13.6
対照 (f)		6	21.8±3.0	
デヒドロパキマ	数 10	6	20.0±3.7	
I - b	30	6	35.7±4.7*	63.8
(2)	50	6	43.0±5.0≠	97.2
•	100	5	26.2±5.4	20.2

•• •				
対照 (f)	_	6	24.0 ± 5.7	
3 <i>B-</i> Łľ ロックノスター7,9	10	6	23.5±3.9	**
(11),24-1917-21-	30	6	20.0 ± 2.9	_
オイック・アシット*	50	. 6	21.5±4.9	-
(3)	100	5	20.8±3.8	•
対照 (f)		. 6	27.2±3.4	
3-0-7451-16a-th 141	- 10	5	37.0±4.2	36.0
トラメテノー ル 酸	30	4	16.8±6.1	-
	50	5	32.4±10.1	19.1
(4)	100	5	26.6±5.0	
対照(f)		6	16.2±4.6	
3-0-7471-16 a - L1' P\$	~ 10	4	8.8±3.1	_
トラメテノーA酸	30	5	28.4±8.6	75.3
798431' 458 1758	50	5	10.4±3.2	_
(4b)	100	5	19.4±2.4	
対照 (f)	_	6	32.3±4.5	
ツムロ酸	10	6	22.8±3.7	
(5)	30	6	29.5±3.5	
12,	50	5	36.4±1.5	12.7
	100	6	33.0±3:4	2.2
対照(f)		5	29.8±4.3	
デヒドロ	10	5	31.0±6.7	4.0
エブリコ酸	30	5	39.8±4.4	33.6
(6)	50	5	26.2±6.8	<u> </u>
対照(f)	_	6	22.7±3.4	
テヒドロエブリ	10	6	27.0±3.7	18.9
コン酸	30	6	36.7±2.3*	61.7
(7)	50	6	26.2±2.0	15.4
対照(f)	_	5	34.4±3.6	
ポリポレン酸C	1.0	5	41.0±3.4	39.2
I-a	30	5	68.2±5.8=	98.3
(8)	50	5	50.4±5.8	46.5
(0)	100	5	37.6±4.1	9.3
対照(f)		5	38.8±4.8	
ポリポレン酸C	10	. 5	33.0±6.3	
791451 171 1771	30	5	29.8±6.1	_
(8b)	50	5	45.4±9.5	17.0
· · · · · ·	100	5	59.2±10.7	52.6
対照 (f)		5	23.2±4.3	
3-エヒデヒドロ	10	5	30.0±6.5	29.3
ツムロ酸	30	5	15.6±4.3	_
(9)	50	5	13.8±5.2	
1,5,	100	. 5	23.8±3.4	_
対照(f)		6	21.8±3.1	
ポリコ酸A	10	6	17.0±2.3	-
III-a	30	6	31.7±4.4	49.5
(10)	50	5	44.4±5.0#	109.4
110/	100	6	45.2±7.7*	112.3
対照(f)		5	15.4±3.7	
メリスパエノ ポリコ酸Aジメチル	10	5	38.6±4.3*	120.6
かり 380パングブル	10	,	プロ・ロニタ・ブ・	1 4 0.0

			•	
(10a)	30	3	23.7±6.9	53.9
	50	5	21.8±8.1	41.6
	100	5	11.8±2.2	
対照 (f)	_	5	22.8±5.8	
16-0-アセチル	10	5	30.2 ± 2.8	32.5
ポリコ酸A	30	5	20.6±4.9	
(10c)	50	5	52.7±11.0	131.1
	100	5	70.2±7.0	207.9
対照 (f)	-	5	25.8±6.1	•
ポリコ酸B	10	5	15.4±4.2	****
(11)	30	6	19.0±4.5	
	50	6	31.8±4.5	23.3
	100	5	4.2 ± 0.5	~
対照 (f)	***	6	35.5±3.3	
ポリコ酸D	10	6	21.3 ± 4.1	***
(12)	30	6	41.2±4.8	16.1
	50	6	25.0±3.9	
	100	6	18.3 ± 4.9	***
対照 (f)	-	6	35.7±4.3	
クロルプロマジン(g)		6	38.7±3.4	9.6
	30	7	63.0±6.8#	76.5
	50	6	66.2±6.1≠	85.4
	100	7 .	72.6 ± 4.2	103.4
対照 (f)		7	30.9±4.1	
メトクロプラミド (h)		7	34.7±4.1	12.0
	30	7	39.7±5.6	28.5
	50	6	59.8±4.5***	
	100	7	80.0±0.0個	
2)		<u>.</u>		(1)
対照(f)		7	38.1±4.1	
p-アミノ安息香酸	10	7	36.9±4.4	_
エチル (i)	30	7	53.0±3.9	39.1
(経口投与)(ゴ)	50	7	66.7±3.9***	75.1
対照(f)	_	7	27.3±3.9	
ーアミノ安息香酸	10	7	37.4±3.5	37.0
エチル(i)	30	7	46.7±3.9#	
(リンパ腔に投与)(k)		7	56.1±3.9***	105.5
*:P<0.05,**:	P<0.01	*** ;	P<0.001	

Key: a) specimen; b) dosage (mg/kg body weight); c) number of frogs; d) latency (in minutes); e) prolongation; f) control; g) chlorpromazine; h) metoclopramide, i) ethyl p-aminobenzoate; j) orally administered; k) administered into a lymph sinus; l) 158.9 % without vomiting; l) pachymic acid II-a; la) methyl pachymate; 2) dehydropachymic acid I-b; 3) 3 β -hydroxy lanosta-7,9(11),24-triene-21-oic acid; 4) 3-0-acetyl-16 α -hydroxy trametenoic acid; 4b) phthalimide methyl ester of 3-0-acetyl-16 α -hydroxy trametenoic acid; 5) tumulosic acid; 6) dehydroeburicoic acid; 7) dehydroeburiconic acid; 8) polyporenic acid C I-a; 8b) phthalimide methyl ester of polyporenic acid C; 9) 3-epidehydrotumulosic acid; 10) poricoic acid A III-a; 10a)

dimethyl poricoate A; 10c) 16-O-acetyl poricoic acid A; 11) poricoic acid B; 12) poricoic acid D.

[0033] Evaluation and Discussion

The antiemetic activity of the triterpenes isolated from hoelen and of their derivatives was studied by examining the correlation between their structure and activity. When a methanol extract of hoelen was administered at a dosage of 500 mg/kg body weight, 113.2 % prolongation of the vomiting onset time was observed. Compound 1 is a component that is contained in hoelen in the largest quantity, and its methyl ester (1a) also exhibited antiemetic activity, but Compounds 3, 4, 4b, 5, and 6 did not show any notable antiemetic activity. From this result, it is conjectured that the presence of an acetyl group in position 3 and an exomethylene group in position 24 in these triterpenes is essential for antiemetic activity. Compounds 7 and 8 had the activity, but 8b did not show the activity to a notable degree. The phthalimide methyl ester in position 21 reduced antiemetic activity, and the presence of a hydroxyl group in position 16 does not seem to be involved in the activity. With Composition 8, when its dosage was increased (50 to 100 mg/kg body weight), its antiemetic activity decreased, which was an unexpected result. With respect to the 3,4-seco forms of triterpene, Compounds 10 and 10a, which had exomethylene groups in their side chains, exhibited the activity, but 10a showed an unexpected decrease in the activity when its dosage was increased (>30 mg/kg body weight). Several triterpenes that exhibited

the activity had effects comparable to those of the positive control agents: chlorpromazine, metoclopramide, and ethyl p-aminobenzoate.

[0034] From the aforesaid results, several triterpenes having an exomethylene group in position 24 of their side chains were found to have antiemetic activity in frogs. Sharma, et al., has reported that /11 triterpene having an exomethylene group in position 24 of its side chain has an activity to kill some type of lice [Sharma, M. C., et al., Phytochemistry, 37, 201-203 (1994)]. This also suggests that the exomethylene group in position 24 of the side chain is a factor that has some effect on physiological activities.

[0035] Acute toxicity test

(1) Tested compound

Poricoic acid A

(2) Test method

Five BDF_1 male mice, 4 weeks old, were acclimated for a week in an animal chamber. Thereafter, they were not fed for 18 hours and then orally given the test compound that was suspended in 0.5 % CMC-Na (dosage: 0.1 ml/10 g body weight).

(3) Test results

There were no deaths in the mice even at a dosage of 1000 mg/kg, and there were no abnormal conditions observed. Thus, the toxicity of the test compound was found to be low.

[0036] Effective dosage and administration method

The compounds of the present invention can be administered to animals and humans directly or together with conventional preparation carriers. There is no specific limitation on their dosage form, and appropriate forms can be selected as necessary. Some examples include oral preparations, such as tablets, capsules, granules, fine granules, powdered drugs, and the like, and parenteral preparations, such as injectable solutions, transdermal preparations, suppositories, and the like.

[0037] With respect to the effective dosage of oral preparations, though it varies depending on the age, weight, and severity of disease of the patient, it is usually adequate to administer from 10 mg to 500 mg, in terms of the weight of the compounds of the present invention, per day for a few times a day to adults. Oral preparations are formulated according to conventional methods, using lactose, starch, sucrose, glucose, mannitol, cornstarch, inorganic salts, and so forth.

[0038] Besides the aforesaid excipients, these preparations may further incorporate binding agents, disintegrants, surface active agents, lubricating agents, fluidizers, flavoring substances, coloring agents, spices, and so forth.

[0039] Examples of the binding agents include starch, dextrin, gum arabic powder, hydroxypropyl starch, crystalline cellulose, ethyl cellulose, methyl cellulose, carboxymethyl cellulose sodium salt, hydroxypropyl cellulose, and polyvinyl pyrrolidone.

[0040] Examples of the disintegrants include starch, hydroxypropyl starch, carboxymethyl cellulose sodium salt, carboxymethyl cellulose calcium salt, carboxymethyl cellulose, low-substitution hydroxypropyl cellulose, and polyvinyl pyrrolidone.

[0041] Examples of the surface active agents include sodium lauryl sulfate, soybean lecithin, egg yolk lecithin, sucrose fatty acid esters, and polysorbate 80.

[0042] Examples of the lubricating agents include talc, waxes, hydrogenated plant oils, sucrose fatty acid esters, magnesium stearate, calcium stearate, and aluminum stearate.

[0043] Examples of the fluidizers include light anhydrous silicic acid, dry aluminum hydroxide gel, synthetic aluminum silicate, and magnesium silicate.

[0044] The compounds of the present invention may be administered in the form of suspension, emulsion, syrup, or elixir, and preparations in these forms may contain flavoring/odor-improving agents and coloring agents.

[0045] In order for the compounds to be able to exhibit an antiemetic effect as parenteral agents, hypodermic injection or intramuscular injection up to from 0.1 mg to 5 mg, in terms of the weight of the compounds of the present invention, per day seems to be usually adequate for adults, although the dosage varies depending on the age, weight, and severity of the disease of the patient.

[0046] These parenteral agents are prepared according to conventional methods, and, as the dilution agent, distilled water for injection, physiological saline, aqueous sucrose solutions, plant oils for injection, sesame oil, peanut oil, soybean oil, corn oil, propylene glycol, polyethylene glycol, and the like can be used. Disinfecting agents, preservatives, stabilizers, and the like may be further added as necessary.

[0047] Other types of parenteral agents include transdermal preparations, such as liquid agents for external use, gel-form ointments, and so forth; suppositories for colorectal administration; and the like, and they are prepared according to conventional methods.

[0048] The following will explain the present invention in further detail by presenting some preparation examples of the present invention, but the present invention is not limited to or restricted by these examples.

[0049] Working Example 1

(1) Polyporenic acid C	10 g
(2) Lactose	62 g
(3) Starch	20 g
(4) Carboxymethyl cellulose calcium salt	5 g
(5) Light anhydrous silicic acid	2 g
(6) Magnesium stearate	1 g
Total	100 g

According to the aforesaid recipe, (1) through (6) were homogeneously mixed, and the mixture was compression-formed with a tableting machine, thereby obtaining tables, each weighing 200 mg. These tablets contained 20 mg polyporenic acid C per tablet, and, for adults, a daily dosage of 3 to 6 tablets should be divided and administered a few times a day.

[0050] (Working Example 2)

(1) Poricoic acid A	10 g
(2) Crystalline cellulose	30 g
(3) Lactose	52 g
(4) Carboxymethyl cellulose calcium salt	5 g
(5) Light anhydrous silicic acid	2 g
(6) Magnesium stearate	1 g
Total	100 g

According to the aforesaid recipe, (1), (3), (5), and part of (6) were mixed homogeneously and compression-formed, after which the formed product was pulverized. To this pulverized product were added (2), (4), and the remaining (6) and mixed, and the mixture was compression-formed with a tableting machine, thereby obtaining tablets, each weighing 200 mg. These tablets contained 20 mg poricoic acid A per tablet, and, for adults, a daily dosage of 3 to 6 tablets should be /12 divided and administered a few times a day.

[0051] (Working Example 3)

(1) Pachymic acid

2 g

(2) Dextrin	/1 g
(3) Crystalline cellulose	20 g
(4) 7 % hydroxypropyl cellulose solution	20 g
Total	113 a

According to the aforesaid recipe, (1) through (4) were mixed and kneaded homogeneously. After the mixture was granulated with an extrusion granulating machine, the obtained granules were dried and shifted through a No. 12 sieve, thereby obtaining a granule preparation. This granule preparation contained 20 mg pachymic acid per gram, and, for adults, 3 to 6 g per day should be divided and administered a few times a day.

[0052] (Working Example 4)

(1)	Dehydropachymic acid	2 g
(2)	Dextrin	73 g
(3)	Crystalline cellulose	20 g
(4)	[illegible]	4 g
<u>(5)</u>	Magnesium stearate	1 g
	Total	100 g

According to the aforesaid recipe, (1) through (5) were mixed homogeneously and compression-formed with a compression-molding machine, after which the product was ground with a grinder and run through a No. 30 sieve, thereby obtaining a fine granule preparation.

This fine granule preparation contained 20 mg dehydropachymic acid per

gram, and, for adults, 3 to 6 g per day should be divided and administered a few times a day.

[0053] (Working Example 5)

(1)	Polyporenic acid C	9 g
(2)	Cornstarch	77 g
(3)	Crystalline cellulose	10 g
(4)	[illegible]	3 g
(5)	Magnesium stearate	<u>1 g</u>
	Total	100 g

According to the aforesaid recipe, (1) through (5) were mixed homogeneously, and 220 mg of the mixture was packed into each No. 2 capsule. This capsule preparation contained 20 mg polyporenic acid C per capsule, and, for adults, 3 to 6 capsules per day should be divided and administered a few times a day.

[0054] (Working Example 6)

(1)	[illegible]	1 g
(2)	[illegible]	92 g
(3)	Olive oil	5 g
(4)	[illegible]	2 g
	Total	100 g

According to the aforesaid recipe, (1) was dissolved in (3) and (4), and this was mixed with (2) to emulsify it, thereby obtaining an injectable preparation.

[0055] (Working Example 7)

(1)	Pachymic acid	1 g
(2)	Propylene glycol	20 g
(3)	Ethanol	30 g
(4)	[illegible] sodium	2 g
(5)	[illegible]	48 g
	Total	100 g

According to the aforesaid recipe, (2) and (3) were added to (1) and mixed. To this mixture was added (4) that had been separately swollen with part of (5), and the resulting mixture was uniformly kneaded.

Thereafter, while being stirred, the mixture was further combined with the remaining (5) and kneaded thoroughly, thereby obtaining a gel-form ointment.

[0056] Working Example 8

(1)	Dehydropachymic acid	1	g
(2)	Cacao butter	97	g
(3)	[illegible] oil	2	g
	Total	100) q

According to the aforesaid recipe, (1) was added to (3) and dissolved and dispersed, and (2) was added to this and melted and then kneaded thoroughly. The obtained product was further filled in molds and cooled, thereby obtaining suppositories, each weighing approximately 1.8 g.